



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005604617

Filing Deadline: January 15, 2013

FRN: 0009572884

Filing Date: 01/15/2013 01:19 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 12/10

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Commnet Four Corners, LLC

Brand Names: Choice
Choice Wireless

PO Box:

Street Address: 400 Borthridge Rd, Suite 325

City: Atlanta

State: GA

Zip Code: 30350

Contact Name: Rohan Ranaraja

Contact Phone: (501) 448-1249

Contact Fax: (501) 448-1580

Contact Email: rohanranaraja@awcc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://us.choice-wireless.com/hearing-aid-compatibility>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Choice Wireless' compliant handset devices are publicly available on the company website. The information on the company website includes a listing of each handset device and its M/T Rating. A description of the ANSI Standard (M/T Ratings) and the functionality of each handset are also included .

Sales personnel at Choice Wireless are familiarized with HAC requirements and ratings. A mandatory computer based training program is conducted for all retail and customer service employees annually. Employees are also provided access to HAC requirements and ratings on the company intranet so that Choice Wireless' employees can respond to customer inquiries promptly and accurately.

All price tags of handsets in retail stores clearly identify the M/T ratings for each device. Customers are provided a 15-day trial period during which a customer may try out a handset device and determine whether the handset device works well with the customer's hearing aid.

Choice Wireless also provides contact information on the company's website that customers may use to have any questions answered.

Methodology for Functionality Levels

Choice Wireless has categorized its handset devices into three tiers based on functionality.

Tier 1 - Basic Phones are generally devices that provide voice service and texting functionality only.

Tier 2 - Advanced Phones offer EVDO in addition to voice and texting functionality. Devices are EVDO capable and offer faster data rates using 1X EVDO technology.

Tier 3 - Smart Phones not only offer voice and texting functionality, but also offer more advanced computer like features such as full featured e-mail, personal organizer, MP 3 player, enhanced camera/video capability and in many cases the ability to add customer applications.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 23

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	18	78%	5	22%				23

Handset 1: LG 740 Axis

Handset Maker

LG

Handset Model Name

740 Axis

FCC ID

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/11 to 07/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 2: Kyocera Milano

Handset Maker

Kyocera

Handset Model Name

Milano

FCC ID

OVFC51213CD

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 3: LG LG100

Handset Maker

LG

Handset Model Name

LG100

FCC ID

BEJLG100C

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 4: LG AX155

Handset Maker

LG

Handset Model Name

AX155

FCC ID

BEJAX155

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 04/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 5: LG LG3280

Handset Maker

LG

Handset Model Name

LG3280

FCC ID

BEJVB3300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks**Handset 6: LG LG700****Handset Maker**

LG

Handset Model Name**FCC ID**

LG700

BEJUX700

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 08/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 7: LG AS680

Handset Maker

LG

Handset Model Name

AS680

FCC ID

ZNFAS680

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 8: LG AS695 OPTIMUS PLUS

Handset Maker

LG

Handset Model Name

AS695 OPTIMUS PLUS

FCC ID

ZNFAS695

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 9: LG AX260**Handset Maker**

LG

Handset Model Name**FCC ID**

AX260

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 10/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 10: LG VX8575

Handset Maker

LG

Handset Model Name

VX8575

FCC ID

BEJVBX8575

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 11: Motorola A854 Milestone

Handset Maker

Motorola

Handset Model Name

A854 Milestone

FCC ID

IHDP56KC1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks**Handset 12: Motorola V3m RAZR****Handset Maker**

Motorola

Handset Model Name**FCC ID**

V3m RAZR

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 13: Motorola W845 Quantico

Handset Maker

Motorola

Handset Model Name

W845 Quantico

FCC ID

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 14: HTC Wildfire

Handset Maker

HTC

Handset Model Name

Wildfire

FCC ID

NM8PD06100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 15: Samsung Freeform 4 R390**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Freeform 4 R390

A3LSCHR390

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 16: Samsung i100 Gem

Handset Maker

Samsung

Handset Model Name

i100 Gem

FCC ID

A3LSCHI100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/11 to 10/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 17: Samsung i500 Galaxy Showcase

Handset Maker

Samsung

Handset Model Name

i500 Galaxy Showcase

FCC ID

A3LSCHI500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks**Handset 18: Samsung R261 Chrono****Handset Maker**

Samsung

Handset Model Name**FCC ID**

R261 Chrono

A3LSCHR261A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 19: Samsung R350

Handset Maker

Samsung

Handset Model Name

R350

FCC ID

A3LSCHR350

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 20: Samsung R580 Profile

Handset Maker

Samsung

Handset Model Name

R580 Profile

FCC ID

A3LSCHR580

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/11 to 10/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks**Handset 21: Samsung Gusto****Handset Maker**

Samsung

Handset Model Name**FCC ID**

Gusto

A3LSCHU365

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 22: ZTE X500

Handset Maker

ZTE

Handset Model Name

X500

FCC ID

Q78-X500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 23: Samsung Galaxy S II

Handset Maker

Samsung

Handset Model Name

Galaxy S II

FCC ID

A3LSCHR760

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Certification

This Report has been certified by:

Rohan M Ranaraja Director - Regulatory Compliance
01/15/2013 01:19 PM